



HIGH
SPEED
DOORS



**BOLLARD
B-PROTECT®**

TECHNICAL SPECIFICATIONS



IMPACT
RESISTANT



HYGIENIC



MINIMUM
MAINTENANCE



FOOD SAFE



HIDDEN
FIXINGS





RECYCLING
CODE

BOLLARD B-PROTECT® is a multi-functional product widely used in industrial, public and commercial environments.




Designed to protect structures and machinery from impact. They are used to prevent access, define traffic routes or redirect vehicles and pedestrians.

MATERIAL PROPERTIES	HDPE HIGH-DENSITY POLYETHYLENE
DENSITY	HDPE 1 million molecules
TOXICITY	Not dangerous
CHEMICAL RESISTANCE	Excellent
LIGHT STABILITY	High
COLOUR	■ RAL 1003
ERMETIC SEALS	Included




Bollard configuration

Dimensions mm




Right joint

code DSSGNTDX




Left joint

code DSSGNTSX




"T" joint

code DSSGNTT



90° joint

code DSSGNTNG




Body bollard

code DSSCRP275120



Linear joint

code DSSCLL1200



Bolt and washer

code DSSBRRBULRND

Screw 850/1200/1500 mm

code DSSBRRM30850

code DSSBRRM301200

code DSSBRRM301500



Cap

code DSSTPP120



Base

code DSSBSP240












O-RING gasket

code DSSGRN120

Barriers configuration

Dimensions mm





Quality products since 1997
BMP EUROPE HIGH SPEED DOORS
 Strada della Freisa 1 - Villanova d'Asti 14019 (AT)
 +39 0141 948843
www.bmpdoors.com - info@bmpdoors.com
 10/2022